

## **REFERENCES**

Many of the General References listed immediately below has an extensive bibliography justifying the general conclusions. To avoid unnecessary repetition, we refer the reader to them for additional literature on mosquito control and its potential environmental impacts.

### **GENERAL**

Alameda County Mosquito Abatement District (1999). WWW.

Association of State and Territorial Health Officials. (July, 2004). Public Health Confronts The Mosquito: Developing Sustainable State And Local Mosquito Control Programs. Interim Recommendations Of The Mosquito Control Collaborative In Partnership With The National Association Of County And City Health Officials. <http://www.astho.org/pubs/MosquitoControlInterim7804.pdf>

Bohart, R.M. and R.K. Washino (1978). Mosquitoes of California. Berkeley, California, University of California Press. 153 pp.

Borror, D.J., C.A. Triplehorn, and N.F. Johnson (1989). An Introduction to the Study of Insects 6<sup>th</sup> ed. Saunders College Publishers, N.Y. 827pp.

Boyce, W., C. Kreuder, R. Anderson, C. Barker. Wildlife Health Center, University of California, Davis, CA (June, 2004). Potential Impacts of West Nile Virus on Wildlife in California. [www.wildlifehealthcenter.org](http://www.wildlifehealthcenter.org)

California Department of Fish & Game (1999). <http://www.dfg.ca.gov/endangered>

California Department of Food & Agriculture (1999). <http://www.cdffa.ca.gov>

California Department of Health Services (August 2004). Operational Plan for Emergency Response to Mosquito-Borne Disease Outbreaks, Supplement to California Mosquito-Borne Virus Surveillance and Response Plan. 33 pp. [http://westnile.ca.gov/website/publications/op\\_plan\\_mosq\\_dis\\_outbrk\\_8\\_04.pdf](http://westnile.ca.gov/website/publications/op_plan_mosq_dis_outbrk_8_04.pdf)

California Department of Health Services, Mosquito and Vector Control Association of California, University of California (June 2004). California Mosquito-Borne Virus Surveillance and Response Plan. 51 pp. [http://westnile.ca.gov/website/publications/ca\\_mos\\_res\\_6\\_04.pdf](http://westnile.ca.gov/website/publications/ca_mos_res_6_04.pdf)

California Resources Agency (1999). <http://ceres.ca.gov>

Collins, J. and V. Resh (1989). Guidelines for the Ecological Control of Mosquitoes in Non-tidal Wetlands of the San Francisco Bay Area. California Mosquito & Vector Control Association & University of California. Oak Grove, CA. 93pp.

Davis, D.W. and J.A. McMurtry (1979). Introduction. Biological Control & Insect Pest Management. Davis, D.W., Hoyt, S.C., McMurtry, J.A., and M.T. AliNiazee (eds). University of California Agricultural Experiment Station Bull. 1911, 102pp.

Durso, S. L., Ed. (1996). The Biology and Control of Mosquitoes in California. Elk Grove, California, Mosquito and Vector Control Association of California.

Florida Coordinating Council on Mosquito Control (1998). Florida Mosquito Control: The State of the Mission as Defined by Mosquito Controllers, Regulators, and Environmental Managers. University of Florida. 189 pp.

Glass, E.H. (coord) (1975). Integrated Pest management: rationale, Potential, Needs and Improvement. Ent. Soc. Amer. Special Publ. 75-2, 141 pp.

Goals Project (1999). Baylands Ecosystem Habitat Goals: A Report on Habitat Recommendations Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. U.S. Environmental Protection Agency, San Francisco, CA/S.F. Bay Regional Water Quality Control Board, Oakland, CA. 206+86 pp.

Kwasny, Dean C., M. Wolder, and C. R. Isola. June 2004. Central Valley Joint Venture Technical Guide To Best Management Practices For Mosquito Control In Managed Wetlands. CDFG, USFWS.35 pp.

Mallis, A. (1990). Handbook of Pest Control. 7<sup>th</sup> Edition. Franzak and Foster Co., Cleveland. 1152 pp.

- Metropolitan Mosquito Control District (1977). Final Supplemental Environmental Impact Statement: Options for Control to the Year 2000. St. Paul, Minnesota.
- Metropolitan Mosquito Control District (1987). Final Supplemental Environmental Impact Statement. St. Paul, Minnesota.
- National Audubon Society. 2004. [http://www.audubon.org/bird/wnv/pdf/effects\\_on\\_wildlife.pdf](http://www.audubon.org/bird/wnv/pdf/effects_on_wildlife.pdf)
- Office of the Legislative Auditor, State of Minnesota (1999). Metropolitan Mosquito Control District: A Program Evaluation Report. St. Paul, Minnesota. 118pp.
- Robinson, W.H. (1996). Urban Entomology: Insect and Mite Pests in the Human Environment. Chapman & Hall, London, 430pp.
- San Francisco Bay Conservation & Development Commission (1999). San Francisco Bay Plan.
- Santa Cruz County Mosquito and Vector Control CSA 53 (Binding, 2001). Best Mosquito Management - Santa Cruz County. 14pp.
- Smith, J.B. (1904). "Report of the New Jersey State Agricultural Experiment Station upon the Mosquitoes Occurring within the State, their Habits, Life History, &c" MacCrellish & Quigley, Trenton, N.J. 482pp
- US Environmental Protection Agency, March 2005. Pesticides and Toxic Substances (H-7506C). Protecting Endangered Species: Interim Measures For Use of Pesticides in Santa Cruz County.
- U.S. Fish & Wildlife Service (1999). <http://www.fws.gov>
- USGS, Federal Scientists Refocus on West Nile Virus Impacts on Wildlife, Press Release, February 4, 2003, [http://www.usgs.gov/public/press/public\\_affairs/press\\_releases/pr1720m.html](http://www.usgs.gov/public/press/public_affairs/press_releases/pr1720m.html).
- USGS National Wildlife Health Center, Quarterly Mortality Reports, 2002-2003. [http://www.nwhc.usgs.gov/pub\\_metadata/qrt\\_mortality\\_report.html](http://www.nwhc.usgs.gov/pub_metadata/qrt_mortality_report.html)).

## **CEQA**

- Bass, R. E., A. I. Herson, et al. (1999). CEQA Deskbook 2<sup>nd</sup> ed. Point Arena, California, Solano Press Books.
- California Department of Fish & Game (1999). Natural Diversity Data Base. <http://elib.cs.berkeley.edu/calflora.html> (7/21/99)
- California Resources Agency (1998). CEQA Thresholds of Significance. <http://ceres.ca.gov/planning/ceqa/thresholds.html> (11/17/98)

## **BIOLOGICAL CONTROL** (also see General References above)

- Ahmed, W., R.K. Washino and P.A. Gieke (1970). Further Biological and Chemical Studies on *Gambusia affinis* (Baird and Girard) in California. Proc. C.M.V.C.A. 38:95-97.
- Barnickol, P.G. (1939). Food Habits of *Gambusia affinis* From Reelfoot Lake With Special Reference to Malaria Control. J. Tenn. Acad. Sci. 15:5-13.
- Bence, J.R. (1988). Indirect Effects and Biological Control of Mosquitoes. J. Appl. Ecol. 25:505-521.
- Dean, S.A. (1987). The Sonoran Topminnow (*Poeciliopsis occidentalis*) and the Mosquitofish (*Gambusia affinis*): A Test of Emigratory Behaviour. Ms. Thesis, Univ. Arizona 36 pp.
- Downs, C. (ed) (1991). Fishes in California Mosquito Control. California Mosquito & Vector Control Association, Sacramento, CA.
- Farley, D.G. and L.C. Younce (1977). Effects of *Gambusia affinis* (Baird and Girard) on Selected Non-Target Organisms in Fresno County Rice Fields. Proc. C.M.V.C.A. 45:87-94.
- Farley, D.G. (1980). Prey Selection by the Mosquito Fish *Gambusia affinis* in Fresno County Rice Fields. Proc. C.M.V.C.A. 48:51-55.

- Hall, D.J., W.E. Cooper and E.E. Werner (1970). Dynamics and Structure of Aquatic Communities. *Limnol. Oceanogr.* 15:839-928
- Hess, A.D. and C.M. Tarzwell (1942). The Feeding Habits of *Gambusia affinis*, With Special Reference to the Malaria Mosquito *Anopheles quadrimaculatus*. *Amer. J. Hyg.* 35(1):142-151.
- Lawler, S.P., D. Dritz, T. Strange and M. Holyoak (1999). Effects of Introduced Mosquitofish and Bullfrogs on the Threatened California Red-Legged Frog. *Conserv. Biol.* 13(3):613-622.
- Miura, T., R.M. Takahashi and R.J. Stewart (1979). Habitat and Food Selection by the Mosquito Fish *Gambusia affinis*. *Proc. C.M.V.C.A.* 47:46-50.
- Miura, T., R.M. Takahashi and W.H. Wilder (1984). Impact of the Mosquito Fish *Gambusia affinis* on a Rice Field Ecosystem When Used as a Mosquito Control Agent. *Mosq. News* 44(4):510-517.
- Reddy, S.R. and T.J. Pandian (1972). Heavy Mortality of *Gambusia affinis* Reared on Diet Restricted to Mosquito Larvae. *Mosq. News* 32(1):108-110.
- Reed, D.E. and J.B. Hoy (1970). Observations on the Aquatic Organisms Associated With the *Gambusia affinis* Study in Rice, 1969. *Proc. Utah Mosq. Abatement Assoc.* 23:22-25.
- Swanson, C., J.J. Cech and R.H. Piedrahita (1996). Mosquitofish: Biology, Culture and Use in Mosquito Control. Mosquito and Vector Control Association of California and the University of California Mosquito Research Program. Sacramento, 88 pp.
- U.S. Fish & Wildlife Service (1997). "Endangered and Threatened Wildlife and Plants; Determination of Threatened Status for the California Red-Legged Frog; Final Rule". USFWS Division of Endangered Species (*Federal Register* for Thursday, May 23, 1996) 50 CFR Part 17; RIN 1018-AC 34
- Walters, L. L. and E. Legner (1980). Impact of the Desert Pupfish, *Cyprinodon macularius* and *Gambusia affinis* on Fauna in Pond Ecosystems. *Hilgardia* 48(3):1-18.
- Walton, W.E. and M.S. Mulla (1991). Integrated Control of *Culex tarsalis* Larvae Using *Bacillus sphaericus* and *Gambusia affinis*: Effects on Mosquitoes and Nontarget Organisms in Field Mesocosms. *Bull. Soc. Vector Ecol.* 16(1):203-221.
- Washino, R.K. and Y. Hokama (1967). Preliminary Report on the Feeding Pattern of Two Species of Fish in a Rice Field Habitat. *Proc. C.M.C.A.* 35:84-87.
- World Health Organization (1982) "The Place of Biological Control in Integrated Vector Control". Scientific Working Group on Biological Control of Vectors, Special Programme for Research and Training in Tropical Diseases. September 13-16, 1982.

#### **CHEMICAL CONTROL (GENERAL)**

- Aly, C. and M.S. Mulla (1987) Effects of two microbial insecticides on aquatic predators. *J. Appl. Ent.* 103:113-118
- California Department of Pesticide Registration (2004). <http://www.cdpr.ca.gov>
- Centers for Disease Control. Surveillance for Acute Insecticide-Related Illness Associated with Mosquito-Control Efforts-Nine States, 1999—2002. *MMWR Weekly*, July 11, 2003, 52(27): 629-634.  
<http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5227a1.htm>
- Hanowski, J. M., Niemi, G. J., Lima, A. R., and Regal R. R. (1997). Response of Breeding Birds to Mosquito Control Treatments of Wetlands, *Wetlands*, Vol. 12(4), pp. 485-492
- Lacey, L.A. and M.S. Mulla. 1990. Safety of *Bacillus thuringiensis var. israelensis* and *Bacillus sphaericus* to non-target organisms in the aquatic environment. In Laird, M. L.A. Lacey, and E.W. Davidson (Eds.), Safety of microbial Insecticides. C.R.C. Press Boca Raton, Fl. Chap. 12 pp. 169-188
- Lawler, S.P., T. Jensen and D.A. Dritz. 1997. Mosquito Management On National Refuges. Ecosystem Effects Study: Phase II. Effects of ULV Applications of Pyrethrin, Malathion and Permethrin on Macroinvertebrates in the Sacramento National Wildlife Refuge, California. Final Report to the U.S. Fish and Wildlife Service, Coop Agreement #14-48-0001-94582, 102 pp.

- Muir, D. C. G., Rawn, G. P., Townsend, B. E. and Lockhart, W. L. Bioconcentration of cypermethrin, deltamethrin, fenvalerate and permethrin by *Chironomus tentans* larvae in sediment and water. *Environ. Toxicol. Chem.* 4: 51-61, 1985.2-23
- Mian, L.S. and M.S. Mulla. 1982. Biological and environmental dynamics of insect growth regulators (IGR's) as used against Diptera of public health importance. *Residue Rev.* 84:27-112.
- Miura, T. and R.M. Takahashi. 1973. Insect developmental inhibitors. 3. Effects on nontarget aquatic organisms. *J. Econ. Entomol.* 66:917-922
- Miura, T., R.M. Takahashi and F.S. Mulligan III. . 1981 . Impact of the use of candidate bacterial mosquito larvicides on some selected aquatic organisms. *Proc. and Papers Calif. Mosq. Control Assoc.* 49:45-48
- Mount, G.A. (1998). "A Critical Review of Ultralow-Volume Aerosols of Insecticide Applied with Vehicle-mounted generators for Adult Mosquito Control." *J. Am. Mosq. Control Assoc.* 12:305-334
- National Pesticide Telecommunications Network, U.S. EPA. Piperonyl Butoxide (Technical Fact Sheet), 2000.
- National Pesticide Telecommunications Network, U.S. EPA. Pyrethins and Pyrethroids, 1998.
- National Toxicology Program – Department of Health and Human Services, 1997. TR-120, Bioassay of Piperonyl Butoxide for Possible Carcinogenicity (CAS No. 51-03-6).
- Scientific Peer Review Panel (1996). An Assessment of Non-Target Effects of the Mosquito Larvicides, Bti and Methoprene, in Metropolitan Area Wetlands. A Report to the Metropolitan Mosquito Control District, Minneapolis, Minnesota.
- Tietze, N. S., P. G. Hester, et al. (1992). "Acute Toxicity of Mosquitocidal Compounds to the Inland Silverside, *Menidia beryllina*." *J. Florida Mosq. Cont. Assoc.* 63: 1-6.
- Tietze, N. S., P. G. Hester, et al. (1991). "Acute Toxicity of Mosquitocidal Compounds to Young Mosquitofish, *Gambusia affinis*." *J.A.M.C.A.* 7(2): 290-293.
- Tietze, N. S., P. G. Hester, et al. (1994). "Acute Toxicity of Mosquito Control Compounds to *Cyprinodon variegatus* and *Menidia beryllina*: Laboratory and Field Tests." *J. Florida Mosq. Cont. Assoc.* 65: 37-44.
- Tietze, N. S., M. A. Olson, et al. (1993). "Tolerance of Sewage Treatment Plant Microorganisms to Mosquitocides." 1993 *J.A.M.C.A.* 9(4):477-479.
- Wright, J.E. (1976). Environmental and toxicological aspects of insect growth regulators. *Environ. Health Perspect.* 14:127-132
- Worthing, C.R. and R.J. Hance (1991). *The Pesticide Manual. A World Compendium.* British Crop Protection Council, Surrey England. 1141 pp.
- Agnique** (good online bibliography at <http://www.mosquitommf.com/mosquito/studies>)
- Agnique™ MMF Pesticide Label and Material Safety Data Sheet
- Agnique™ MMF "Mosquito Larvicide & Pupicide", Henkel Corporation, 1998.
- Hester, P. G., Dukes, J. C., Levy, R., Ruff, J. P., Hallmon, C. F., Olson, M. A., and Shaffer, K. R. Field Evaluations of the Phytotoxic Effects of Arosurf® MSF on Selected Species of Aquatic Vegetation, *J. of American Mosquito Control Association*, Vol. 5(2), pp. 272-274, 1989.
- Hester, P. G., Olson, M. A., and Dukes, J. C. Effects of Arosurf® MSF on a Variety of Aquatic Nontarget Organisms in the Laboratory, *J. of American Mosquito Control Association*, Vol. 7(1), pp. 48-51, 1991.
- Isostearyl Alcohol Ethoxylate Monomolecular Surface Film Non-target Effects, Henkel Corporation
- Mulla, M. S., Darwazeh, H. A., and Luna, L. L. Monolayer Films as Mosquito Control Agents and Their Effects on Nontarget Organisms, *Mosquito News*, Vol. 43(4), pp. 489-495, 1983.
- Takahashi, R. M., Wilder, W. H., and Miura, T. Field Evaluations of ISA-20E for Mosquito Control and Effects on Aquatic Nontarget Arthropods in Experimental Plots, *Mosquito News*, Vol. 44(3), pp. 363-367, 1984.

Webber, L. A. and Cochran, D. C. Laboratory Observations on Some Freshwater Vertebrates and Several Saline Fishes Exposed to a Monomolecular Organic Surface Film (ISA-20E), *Mosquito News*, Vol. 44(1), pp. 68-69, 1984.

### ***Bacillus sphaericus***

- Ali, A. 1991. Perspectives On Management of Pestiferous Chironomidae (Diptera), An Emerging Global Problem. *J. Amer. Mosq. Cont. Assoc.* 7(2):260-281.
- Holck, A.R. and C.L. Meek. 1987. Dose-Mortality Responses of Crawfish and Mosquitoes to Selected Pesticides. *J. Amer. Mosq. Cont. Assoc.* 3:407-411.
- Key, P.B. and G.I. Scott. 1992. Acute toxicity of the mosquito larvicide, *Bacillus sphaericus*, to the grass shrimp, *Palaemonetes pugio*, and mummichog, *Fundulus heteroclitus*. *Bull. Environ. Contam. Toxicol.* 49:425-430
- Miura, T., R.M. takahashi and F.S. Mulligan. 1981. Impact of the Use of candidate bacterial Mosquito Larvicides on Some Selected Aquatic Organisms. *Proc. C.M.V.C.A.* 49:45-48.
- Mulla, M. S., H. A. Darwazeh, et al. (1984). "Larvicidal Activity and Field Efficacy of *Bacillus sphaericus* Strains against Mosquito Larvae and their Safety to Nontarget Organisms." *Mosquito News* 44(3): 336-342.
- Mulla, M.S., H.A. Darwazeh, E.W. Davidson, H.T. Dulmage and S. Singer. 1984. Larvicidal activity and field efficacy of *Bacillus sphaericus* strains against mosquito larvae and their safety to nontarget organisms. *Mosq. News* 44:336-342
- Rodcharoen, J., M.S. Mulla and J.D. Chaney. 1991. Microbial Larvicides for the Control of Nuisance Aquatic Midges (Diptera: Chironomidae) Inhabiting Mesocosms and Man-Made Lakes in California. *J. Amer. Mosq. Cont. Assoc.* 7(1):56-62.
- Shaddock, J.A., S. Singer and S. lause. 1980. Lack of Mammalian Pathogenicity of Entomocidal Isolates of *Bacillus sphaericus*. *Environ. Ent.* 9:403-407.
- Siegel, J. P. and Shaddock, J. A. 1990. Mammalian Safety of *Bacillus sphaericus*. In *Bacterial Control of Mosquitoes & Black Flies*, ed. H. de Barjac and D. J. Sutherland, 321-331. New Brunswick, Rutgers University Press.
- Tietze, N.S., M.A. Olson, P.G. Hester and J.J. Moore. 1993. Tolerance of Sewage Treatment Plant Microorganisms to Mosquitocides. *J. Amer. Mosq. Cont. Assoc.* 9(4):477-479.
- VectoLex<sup>®</sup> CG (biological larvicide granules) Pesticide Label and Material Safety Data Sheet
- VectoLex<sup>®</sup> Biological Larvicide "Naturally the Best for Your Worst Conditions", Abbott Laboratories, 1996
- Walton, W.E. and M.S. Mulla. 1991. Integrated Control of *Culex tarsalis* Larvae Using *Bacillus sphaericus* and *Gambusia affinis*: Effects on Mosquitoes and Non-Target Organisms in Field Mesocosms. *Bull. Soc. Vector Ecol.* 16(1):203-221.

### ***Bti***

- Anderson, R., et al. 1996. An Assessment of Non-Target Effects of the Mosquito Larvicides Bti and Mehtoprene, in Metropolitan Area Wetlands. A Report Fro The Scientific Peer Review Panel to the Metropolitan Mosquito Control District.
- Balcer, Mary D., K.L. Scmude, J. Snitgen. 1999. Long-Term Effects of the Mosquito Control Agents Bti and methoprene on Non-Target Macroinvertebrates in Wetlands in Wright County, Minnesota (1997-1998). Lake Superior Research Institute, Univ. of Wisconsin.
- DeBarjac, H., I. Larget, L. Benichou, V. Cosmao Dumanoir, G. Viviani, H. Ripouteau and S. Papion. 1980. Innocuity Tests on Mammals With Serotype H-14 *Bacillus thuringiensis*. WHO Document WHO/BVC/80.761
- Dritz, D.A. , S.P. Lawler, J. Albertson, W. Hammersky, J.R. Rusmisl. 2002. The impact of Bti on the survival of the endangered tadpole shrimp. *Proc. Mosq. Vector Control Assoc. of Calif.* 69:88-91.

- Fortin, C., D. Lapointe and G. Charpentier. . 1986 . Susceptibility of brook trout *Salvelinus fontinalis* fry to a liquid formulation of *Bacillus thuringiensis serovar. israelensis* (Teknar) used for black fly control. Can. J. Fish. Aquat. Sci. 43:1667-1670
- Garcia, R., B. DesRochers and W. Tozer. 1981. Studies on *Bacillus thuringiensis var. israelensis* against mosquito larvae and other organisms. Proc. and Papers Calif. Mosq. Control Assoc. 49:25-29
- Gharib, A.H. and W. Hilsenhoff. 1988. Efficacy of Two Formulations of *Bacillus thuringiensis var. israelensis* (H-14) Against *Aedes vexans* and Safety to Non-Target Macroinvertebrates. J. Aer. Mosq. Cont. Assoc. 4(3):252-255.
- Glare, T.R. and M.O'Callaghan. 1998. Environmental and Health Impacts of *Bacillus thuringiensis israelensis*. Report for the Ministry of Health (New Zealand). Biocontrol and Biodiversity, Grasslands Division, Ag Research. 58 pp.  
<http://www.moh.govt.nz/moh.nsf/c7ad5e032528c34c4c2566690076db9b/ff3b628d67e34963cc256ba3000d8476?OpenDocument>
- Holck, A.R. and C.L. Meek. 1987. Dose-Mortality Responses of Crawfish and Mosquitoes to Selected Pesticides. J. Amer. Mosq. Cont. Assoc. 3:407-411
- Kallapur, V.L., M.E. Mayes, F.W. Edens, G.A. Held, W.C. Dauterman, C.Y. Kawanishi and R.M. Roe. 1992. Toxicity of crystalline polypeptides of *Bacillus thuringiensis subsp. israelensis* in Japanese quail. Pestic. Biochem. Physiol. 44:208-216
- Knepper, R.G. and E.D. Walker. 1989. Effect of *Bacillus thuringiensis* (H-14) on the Isopod *Asellus forbesi* and Spring *Aedes* Mosquitoes in Michigan. J. Amer. Mosq. Cont. Assoc. 5(4):596-598.
- Lacey, L. A. and Mulla, M. S. Safety of *Bacillus thuringiensis ssp. israelensis* and *Bacillus sphaericus* to Nontarget Organisms in the Aquatic Environment. In *Safety of Microbial Insecticides*.
- Lawler, S. P., D.A. Dritz, T. Jensen. "Effects of Sustained-Release Methoprene and a Combined Formulation of Liquid Methoprene and Bti on Insects in Salt Marshes". 2000. Arch. Environ. Contam. Toxicol. **39**, 177-182.
- Leclair, R., G. Charpentier, F. Provonost and S. Trottier. 1988. Progress Report to the Metropolitan Mosquito Control District on the Effects of the Insect Control Agent, *Bacillus thuringiensis israelensis* (Bti), to Some Larval Amphibian Species. Report to the Scientific Peer Review Panel of the Metropolitan Mosquito Control District.
- Marten, G.G., Che and E.S. Bordes. 1993. Compatibility of Cyclopoid Copepods With Mosquito Insecticides. J. Amer. Mosq. Cont. Assoc. 9:150-154.
- Merritt, R.W., E.D. Walker, M.A. Wilzbach, K.W. Cummins and W.T. Morgan. 1989. A Broad Evaluation of Bti for Black Fly (Diptera: Simuliidae) Control in a Michigan River: Efficacy, Carry and Non-Target Effects on Invertebrates and Fish. J. Amer. Mosq. Cont. Assoc. 5(3):397-415.
- Miura, T., R.M. Takahashi and F.S. Mulligan, III. 1980 . Effects of the bacterial mosquito larvicide *Bacillus thuringiensis* serotype-14 on selected aquatic organisms. Mosq. News 40:619-622
- Molloy, D.P. 1992. Impact of the Black Fly (Diptera: Simuliidae) Control Agent *Bacillus thuringiensis var israelensis* on Chironomids (Diptera: Chironomidae) and Other Non-Target Insects: results of Ten Field Trials. J. Amer. Mosq. Cont. Assoc. 8(1):24-31.
- Mulla, M.S., J.D. Chaney and J. Rodcharoen. 1990. Control of Nuisance Aquatic Midges (Diptera: Chironomidae) With the Microbial Larvicide *Bacillus thuringiensis var. israelensis* in a Man-Made Lake in Southern California. Bull. Soc. Vector Ecol. 15(2):176-184.
- Mulla, M.S., H.A. Darwazeh and M.J. Wargo. 1983. Impact of Microbial Control Agents on Non-Target Biota. Ann. Rep. Mosq. Cont. Res., Univ. Calif. Pp 31-32.
- Mulla, M.S., B.A. Federici and H.A. Darwazeh. 1982. Larvicidal Efficacy of *Bacillus thuringiensis* Serotype H-14 Against Stagnant Water Mosquitoes and Its Effect on Non-Target Organisms. Environ. Ent. 11:788-795.
- Purcell, B.H. 1981. Effects of *Bacillus thuringiensis var. israelensis* on *Aedes taeniorhynchus* and Some Non-Target Organisms in the Salt marsh. Mosq. News 41(3):476-484.
- Reish, D.J., J.A. Le May and S.L. Asato. 1985. The Effect of Bti (H-14) and Methoprene on Two Species of Marine Invertebrates From Southern California Estuaries. Bull. Soc. Vector Ecol. 10:20-22.

- Rodcharoen, J., M.S. Mulla and J.D. Chaney. 1991. Microbial Larvicides for the Control of Nuisance Aquatic Midges (Diptera: Chironomidae) Inhabiting Mesocosms and Man-Made Lakes in California. *J. Amer. Mosq. Cont. Assoc.* 7(1):56-62.
- Siegel, J. P. and Shadduck, J. A. Mammalian Safety of *Bacillus thuringiensis israelensis*. In *Bacterial Control of Mosquitoes & Black Flies*, ed. H. de Barjac and D. J. Sutherland, 202-217. New Brunswick, Rutgers University Press.
- Siegel, J.P., J.H. Shadduck and J. Szabo. 1987. Safety of the entomopathogen *Bacillus thuringiensis var. israelensis* for Mammals. *J. Econ Entomol.* 80:717-723
- Teknar<sup>®</sup> HP-D (high potency Dipteran biological larvicide) Pesticide Label and Material Safety Data Sheet
- Tozer, W. and R. Garcia. 1990. Toxicity of *Bacillus thuringiensis var israelensis* (Serotype H-14) Against Representatives of Three Subfamilies of North American Chironomidae and Other Taxa Associated With Mosquito or Black Fly Habitats. *Proc. C.M.V.C.A.* 58:160-168.
- VectoBac<sup>®</sup> G (biological larvicide granules) Pesticide Label and Material Safety Data Sheet
- VectoBac<sup>®</sup> 12AS (biological larvicide aqueous suspension) Pesticide Label and Material Safety Data Sheet
- VectoBac<sup>®</sup> “*Tomorrow’s Answer...Today, Technical Bulletin*”, Abbott Laboratories, 1993
- VectoBac<sup>®</sup> “*Toxicology Profile*”, Abbot Laboratories, 1994
- VectoBac<sup>®</sup> “*Tomorrow’s Answers...Today, The Cost-Effective Biological Larvicide for Mosquito and Black Fly Control*”, Abbott Laboratories, 1997

## **GB-1111**

- Mosquito Larvicide GB-1111<sup>®</sup> Pesticide Label and Material Safety Data Sheet
- The Biology and Control of Mosquitoes in California. Ed. S. L. Durso, Mosquito and Vector Control Association of California, 1996.
- Miles, K.A., S.P. Lawler, D. Dritz and S. Spring 2002. Mosquito larvicide (Golden Bear Oil) effects on mallard ducklings and prey. *Bull. Wildlife Mgt.* (in press).
- Mulla, M. S. and H. A. Darwzeh (1981). “Efficacy of Petroleum Larvicidal Oils and Their Impact on Some Aquatic Nontarget Organisms.” *Proc. C.M.V.C.A.* 49: 84-87.

## **Methoprene**

- Altosid<sup>®</sup> XR Briquets Pesticide Label and Material Safety Data Sheet
- Altosid<sup>®</sup> Liquid Larvicide Pesticide Label and Material Safety Data Sheet
- Altosid<sup>®</sup> Pellets Pesticide Label and Material Safety Data Sheet
- Ankley G.T. et al (1998). “Effects of Methoprene and UV Light on Survival and Development of *Rana pipiens*”. Midwest Declining Amphibians Conference, March 20-21, 1998. <http://www.mpm.edu/collect/vertzo/herp/Dapf/MWabst.html>
- Balcer, Mary D., K.L. Scmude, J. Snitgen. 1999. Long-Term Effects of the Mosquito Control Agents Bti and methoprene on Non-Target Macroinvertebrates in Wetlands in Wright County, Minnesota (1997-1998). Lake Superior Research Institute, Univ. of Wisconsin.
- Bircher L. and E. Ruber. . 1988. Toxicity of methoprene to all stages of the salt marsh copepod, *Apocyclops spartinus* (Cyclopoida). *J. Am. Mosq. Control Assoc.* 4:520-523
- Breud, T.P., J.E. Farlow, C.D. Steelman and P.E. Schilling. 1977. Effects of the insect growth regulator methoprene on natural populations of aquatic organisms in Louisiana intermediate marsh habitats. *Mosq. News* 37:704-712

- Christiansen, M.E., J.D. Costlow, Jr. and R.J. Monroe. 1977 . Effects of the juvenile hormone mimic ZR-515 (Altosid) on larval development of the mud-crab *Rhithropanopeus harrisii* in various salinities and cyclic temperatures. *Mar. Biol.* 39:269-279
- Degitz, S.J., E.J. Durhan, J.E. Tietge, P.A. Kosian, G.W. Holcombe and G.T. Ankley. 2003. Developmental toxicity of methoprene and several degradation products in *Xenopus laevis*. *Aquatic Toxicology* 1:Vol. 64, pp. 97-105.
- Fenn, D.B. (1999). "A Message from Dennis Fenn, Associate Director for Biology, USGS". <http://www.frogweb.gov/research7.html> May 13, 1999.
- Frognet (1999). U.S. National Biological Information Infrastructure. <http://www.frogweb.gov>
- Glare, T.R. and M. O'Callaghan (1999). Environmental and Health Aspects of the Insect Juvenile Hormone Analogue, S-Methoprene. Report for the Ministry of Health (New Zealand). Biocontrol and Biodiversity, Grasslands Division, AgResearch. 106 pp.  
<http://www.moh.govt.nz/moh.nsf/c7ad5e032528c34c4c2566690076db9b/ff3b628d67e34963cc256ba3000d8476?OpenDocument>
- Hershey, A.E., A.R. Lima, G.J. Niemi, R.R. Regal (1998). Effects of Bti and Methoprene on Non-Target Macroinvertebrates in Minnesota Wetlands. *Ecol. Appl.* 8:41-60.
- Hershey, A.E., L. Shannon *et al.* (1995). Effects of Methoprene and Bti on Non-Target Insects. *Hydrobiologia* 308:219-227.
- Hester, P.G., C.B. Rathburn, Jr. and A.H. Boike, Jr. 1980 . Effects of methoprene on non-target organisms when applied as a mosquito larvicide. *Fla. Anti-Mosq. Assoc., Rep. Annu. Mtg.* 51:16-20
- Kramer, V. L., E. R. Carper, et al. (1993). "Control of *Aedes Dorsalis* with Sustained-Release Methoprene Pellets in A Saltwater Marsh." *Journal of the American Mosquito Control Association* 9(2): 127-130.
- La Clair J., J.A. Bantle, and J. Dumont (1998). "Photoproducts and Metabolites of a Common Insect Growth Regulator Produce Developmental Deformities in *Xenopus*." *Environmental Science & Technology* 32:1453-1461.
- Lawler, S. P., D.A. Dritz, T. Jensen. "Effects of Sustained-Release Methoprene and a Combined Formulation of Liquid Methoprene and Bti on Insects in Salt Marshes". 2000. *Arch. Environ. Contam. Toxicol.* 39, 177-182.
- McKenney, C.L., Jr. and E. Matthews. 1988. Influence of an insect growth regulator on larval development of a marine crustacean. U.S. Environmental Protection Agency, Environmental Research Laboratory, Gulf Breeze, FL, EPA/600/M-88/003, 6pp
- "*Methoprene: An Overview*", Sandoz Agro, Inc., 1997.
- Mian, L.S. and M.S. Mulla. 1982. Biological and Environmental Dynamics of Insect Growth Regulators (IGR's) as Used Against Diptera of Public Health Importance. *Residue Reviews* 84:27-112.
- Miura, T. and R.M. Takahashi. 1973. Insect Developmental Inhibitors. III. Effects of Non-Target Organisms. *J. Econ. Ent.* 66:917-922.
- Norland, R.L. 1973. Impact of an Insect Growth Regulator on an Aquatic Ecosystem. PhD Dissertation, University of California, Riverside. 171 pp.
- Niemi, G.J., A.E. Hershey *et al.* (1999). Ecological Effects of Mosquito Control on Zooplankton, Insects and Birds. *Environ. Toxicol. Chem.* 18:549-559.
- Norland, R.L. and M.S. Mulla. 1975. Impact of Altosid on selected members of an aquatic ecosystem. *Environ. Entomol.* 4:145-152
- Office of the Legislative Auditor, State of Minnesota. (1999). Metropolitan Mosquito Control District: A Program Evaluation Report. St. Paul, Minnesota. 118pp.
- Scientific Peer Review Panel (1996). An Assessment of Non-Target Effects of the Mosquito Larvicides, Bti and Methoprene, in Metropolitan Area Wetlands. A Report to the Metropolitan Mosquito Control District, Minneapolis, Minnesota.
- Sessions, S. (1999). "Looking Closer at Trematodes". <http://wise.berkeley.edu/WISE/evidence/299.html>

Sparling, D. (1998). "Field Evidence for Linking Altosid Applications with Increased Amphibian Deformities in Southern Leopard Frogs". Midwest Declining Amphibians Conference, March 20-21, 1998. <http://www.mpm.edu/collect/vertzo/herp/Daptf/MWabst.html>

U.S. Environmental Protection Agency Pesticide Fact Sheet, June 2001. Update of the March 1991 Methoprene R.E.D. Fact Sheet. [http://www.epa.gov/pesticides/biopesticides/ingredients/factsheets/factsheet\\_105401.pdf](http://www.epa.gov/pesticides/biopesticides/ingredients/factsheets/factsheet_105401.pdf)

Wright, J.E. 1976. Environmental and Toxicological Aspects of Insect Growth Regulators. Environ. Hlth. Perspect. 14:127-132.

Zoecon® "Maintaining Balance Within Nature", Sandoz, 1994.

### **M-Pede**

M-Pede® Pesticide Label and Material Safety Data Sheet

U. S. Environmental Protection Agency Fact Sheet on the Active Ingredient, Soap Salts, 1992.

M-Pede® Plant Sensitivity, Mycogen Corporation, 1993.

M-Pede® Africanized Honey Bees, Mycogen Corporation, 1994.

### **Pyrethrum, Pyrethroids, & Piperonyl Butoxide**

Acute Oral Toxicity Study in Rats Treated with Strike 4-12, CSE Study #A1864

Acute Dermal Toxicity Study in Rabbits Exposed to Strike 4-12, CSE Study #B1864

Acute Inhalation Toxicity Study in Rats Exposed to Test Article Strike 4-12, CSE Study #C1864

Agency for Toxic Substances and Disease Registry, "ToxFAQs: Pyrethrins and Pyrethroids," September 2001 <http://www.atsdr.cdc.gov/tfacts155.html>

Biomist® 4+12 Pesticide Label and Material Safety Data Sheet

Chemical Residue Analysis, Clark ULV Experiment

Drione® Pesticide Label and Material Safety Data Sheet

Guinea Pig Sensitization Study with Strike 4-12, CSE Study #F1864

Hill, E. F., Heath, R. G., Spann, J. W., and Williams, J. D. Lethal Dietary Toxicities of Environmental Pollutants to Birds., United States Department of the Interior Fish and Wildlife Service, 1975.

Hoxter, K. A., Palmer, S. J., and Krueger, H. O. Scourge® Insecticide: A Foliage Residue Toxicity Study with the Honey Bee. Wildlife International Ltd. Project Number: 312-111, Agrevo Study Number: CO97W500, 1998.

Lawler, S.P., T. Jensen and D.A. Dritz. 1997. Mosquito Management On National Refuges. Ecosystem Effects Study: Phase II. Effects of ULV Applications of Pyrethrin, Malathion and Permethrin on Macroinvertebrates in the Sacramento National Wildlife Refuge, California. Final Report to the U.S. Fish and Wildlife Service, Coop Agreement #14-48-0001-94582, 102 pp.

Pedersen, C. A. Resmethrin Technical: 8-Day Acute Dietary LC<sub>50</sub> Study in Bobwhite Quail, Bio-Life Associates, Ltd. 1990.

Pedersen, C. A. Resmethrin Technical: 8-Day Acute Dietary LC<sub>50</sub> Study in Mallard\_Ducklings, Bio-Life Associates, Ltd. 1990.

Primary Eye Irritation Study in Rabbits Dosed with Strike 4-12, CSE Study #D1864

Primary Dermal Irritation Study in Rabbits Dosed with Strike 4-12, CSE Study #E1864

Scourge® Pesticide Label and Material Safety Data Sheet

U.S. Environmental Protection Agency, "For Your Information: Synthetic Pyrethroids For Mosquito Control". <http://www.epa.gov/pesticides/factsheets/pyrethroids4mosquitos.htm>

Vikor® Pesticide Label and Material Safety Data Sheet

Worthing, C.R. and R.J. Hance. 1991. The Pesticide Manual. A World Compendium. British Crop Protection Council, Surrey England. 1141 pp.

**Vegetation Management** (also see General References above)

California Department of Food and Agriculture (CDFA). 1989. Sampling for Pesticide Residues in California Well Water. 1989 Update. Well Inventory Database. Environmental Hazards Assessment Program. December 1, 1989.

California Invasive Plant Council (Cal-IPC, formerly Cal-EPPC) 1999. Exotic Pest Plants of Greatest Ecological Concern in California. <http://groups.ucanr.org/ceppc/>

Environmental Protection Agency (EPA). 1986. Guidance for the Reregistration of Pesticide Products Containing Glyphosate As the Active Ingredient. Office of Pesticides and Toxic Substances, Washington D.C., June, 1986.

Environmental Protection Agency (EPA). 1983. Guidance for the Registration of manufacturing- Use and certain End-Use Pesticide Products Containing Diuron as the Active Ingredient. Office of Pesticide Programs, Washington D.C., September 30, 1983. NTIS PB84-21-327

Environmental Protection Agency (EPA). 1982. Pesticide Fact Sheet. Diuron. June 21, 1982.

Ghassemi, M., et al. 1981. Environmental Fates and Impacts of Major Forest Use Pesticides. Prepared by TRW, Redondo Beach, CA, for EPA, Office of Pesticides and Toxic Substances.

Glass, R.L. 1987. Absorption of Glyphosate By Soils and Clay Materials. J. Agric. Food Chem. 35(4) (as cited in database abstract)

Hartley, D. and H. Kidd. 1987. The Agrochemicals Handbook, Second Edition. Royal Society of Chemistry. 2nd Edition. Unwin Brothers Limited. Old Woking, Surrey.

Hileman, B. 1990. Alternative Agriculture. Chem. Engr. News. Vol 68.

Kenaga, E.E. and C.A. Goring. 1978. Relationship Between Water Solubility, Soil-Sorption, Octan-1-Water partitioning, and Bioconcentration of Chemicals in Biota. Presented at Third Aquatic Toxicology Symposium, American Society of Testing and Materials, New Orleans, Louisiana. October 17-18, 1978.

Lyman, W.J., W.G. Reehl and D.H. Rosenblatt. 1982. Handbook of Chemical Property Estimation Methods: Environmental Behaviour of Organic Compounds. McGraw Hill Book Company. New York.

Mayer, F.L. and M.R. Ellersieck. 1986. Manual of Acute Toxicity: Interpretation and Data Base for 410 Chemicals and 66 Species of Freshwater Animals. Resource Publication 160. U.S. Department of the Interior, Fish and Wildlife Service, Washington D.C.

Monsanto. 1989. Material Safety Data Sheet for Roundup Herbicide.

National Pesticide Telecommunications Network, U.S. EPA. Glyphosate (Technical Fact Sheet), 2000.

Newton, M. and F. Dost. 1984. Biological and Physical Effects of Forest Vegetation Management. Final report Submitted to Washington Department of Natural Resources, Olympia, Washington.

Rodeo® Pesticide Label and Material Safety Data Sheet

Round-Up® Pesticide Label and Material Safety Data Sheet

Shipp, A.M., M.L. Hogg, K.S. Crump and R.L. Kodell. 1986. Worst Case Analysis Study On Forest Plantation Herbicide Use. Prepared for Forest Land Management Division, Department of Natural Resources, State of Washington.

U.S. department of Agriculture (USDA). 1988. Vegetation Management in the Appalachian Mountains, Draft Environmental Impact Statement. Vol. II, Appendix A: Risk Assessment. Forest Service, Southern Region. November 3, 1988.

U.S. department of Agriculture (USDA). 1984. Herbicide Background Statements, Vol. I: Herbicides. Forestry Service, Agriculture Handbook No. 633. August, 1984.

Wan, M.T., R.G. Watts and D.J. Moul. 1989. Effects of Different Dilution Water Types On the Acute Toxicity to Juvenile Pacific Salmonids and Rainbow Trout of Glyphosate and Its Formulated Products. Bull. Environ. Contam. Toxicol. 43:378-385

Weed Science Society of America (WSSA). 1983. Herbicide Handbook. 5th Edition, Champaign, Illinois.

**PUBLIC EDUCATION** (see General References above)

**SURVEILLANCE** (also see General References above)

Reisen, W. K., V. L. Kramer, et al. (1995). Interagency Guidelines for the Surveillance and Control of Selected Vector Borne Pathogens in California. Elk Grove, California, Mosquito and Vector Control Association of California.